Desktop Facsimile



RICOH FAX1195L

🛛 Copier 🗸 Printer 🗸 Facsimile 🗸 Scanner



High speed laser fax for environmentally responsible faxing

Compliant with the International ENERGY STAR Program, Ricoh's new desktop fax machine is designed for energy efficiency and ease of use.

The RICOH FAX 1195L is a contemporary Super G3 laser fax; an affordable investment for home and small offices. Its attractively designed operation panel is simple to use. The enhancements to the internal mechanism allow this model to print at a rapid 20 pages per minute, and deliver good image quality. An all-in-one multifunction device, it can also be used as a black-and-white scanner. Furthermore, the FAX 1195L has an extremely low environmental impact, thanks to a separate drum and toner, low toner and energy consumption, and an energy-saving sleep mode.

Versatile fascimile system for superior workflow and increased efficiency



Printer, copier and scanner functionality, all in one unit

The FAX 1195L features a (TWAINcompliant) Black-and-White Scanner. It can double up as a printer, copier and scanner, offering the full range of functionality that a business needs.

Fast printing at 20ppm

The FAX 1195L prints up to 43% faster than the previous model, enabling high-volume documents to be output all at once, hence improve work efficiency and productivity.

Uncluttered, easy-to-use operating panel

A comprehensive operating panel that comes with two-line LCD, with up to 200 speed dial, 22 one-touch dial and eight group dial, make it easy to send and broadcast a fax.



Outstanding energy-saving performance

The FAX 1195L is ENERGY STAR compliant and operates at a low 360W, consuming as low as 1.5w in energy saving mode.

RICOH FAX 1195L

MAIN SPECIFICATIONS

GENERAL

Continuous output speed:	20 pages per minute
Memory:	Standard: 16 MB
Dimensions (W x D x H):	368 x 360 x 311 mm
Weight:	7.7 kg
Power source:	220 - 240 V, 50/60 Hz

300 x 600 dpi

25 - 400%

COPIER

Resolution: Enlargement/reduction:

PRINTER

Printer language:	GDI
Interface:	Standard: USB 2.0
Windows® environments:	Windows® XP, Windows® Vista,
	Windows® 7

FAX

Туре:	Desktop type transceiver
Compatibility:	PSTN, G3
Resolution:	Standard: 8 x 3.85 line/mm, 200 x 100 dpi
Compression method:	MH, MR, MMR, JBIG
Transmission speed:	G3: 2.5 second(s)
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	3.5 second(s)
Memory capacity:	Standard: 16 MB
Memory backup:	Yes
Speed dial:	200 numbers
Group dial:	8 groups

PAPER HANDLING

Paper input capacity: Maximum: 250 sheets

ECOLOGY

Power consumption:

Maximum: 420 W Low power mode: 1.5 W

For availability of models, options and software, please consult your local Ricoh supplier.



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2014 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.