A4 Digital Colour Laser Printer



RICOH P C300W M C250FWB



Brilliant Everyday Colour

Color printing has never been so easy and affordable with compact and seamlessly connected desktop devices, putting colour within easy reach.

Impressive Quality and Performance

Perfect for small offices with demanding print requirements, RICOH P C300W and M C250FWB help to save space without compromising on quality or performance. To keep pace with demand, vibrant colour and black-and-white output is delivered at up to 25 pages per minute.





Productive Time-Saving Features

To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. RICOH M C250FWB is a compact fax-enabled 4-in-1 MFP. Its large colour touchscreen panel simplifies operation and to ensure time saving, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and enables different sizes and types of paper to be held inline, ready for use.

Easy Mobile and Wi-Fi Interaction

Regardless of what your print environment is, RICOH P C300W and M C250FWB will fit the bill. They support Windows, Mac, Linux, and with AirPrint® and Mopria® standard features, it is simple to print from and scan to smartphones and tablets. Furthermore, with Wi-Fi Direct and Near Field Communication (NFC) built-in, joining a network is as easy as a tap and go.





Security in our DNA

Recognising modern business security challenges, RICOH P C300W and M C250FWB ensure business information remains secure with robust security layers in place. Manage your confidential documents with the Locked Print function and only release when authentication is done at the device. Network encryption ensures data transmission remains safe.

Learn more about RICOH's Security layers: https://www.ricoh.com/products/security/mfp/

RICOH P C300W / M C250FWB

MAIN SPECIFICATIONS

MODEL	RICOH P C300W	RICOH M C250FWB	
	RICOH P C300W	RICOH M CZSUFWB	
GENERAL	Drive	Carry Dried Carry Tay	
function(s)	Print	Copy, Print, Scan, Fax	
Operation panel	4-Line LCD	4.3" Touchscreen Operation Panel	
Varm-up time	20 seconds		
irst output speed : B/W	9.4 seconds		
irst output speed : Full Colour	9.8 se	conds	
Continuous output speed	25 ppm		
Memory	256	MB	
PDF capacity		50 sheets	
Veight [Mainframe]	25kg or less	30kg or less	
Dimensions W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm	
Power source	220 - 240\	/, 50/60Hz	
COPIER			
Multiple copying		Up to 99 copies	
Resolution	_	600 dpi	
Coom		From 25% to 400% in 1% steps	
	-	F10III 23 % to 400 % III 1 % steps	
RINTER	350.41	***************************************	
PU	350MHz	400MHz	
rinter language	PCL5c, PCL6, PostScript3 (Emulation)		
rint resolution	600 x 600 dpi (2,400 x 600 dpi equivalent)		
letwork interface	Standard: USB2.0, 10Base-T/100Base-TX, IEEE802.11a/b/g/n/ac (Wireless LAN, 2.4GHz / 5GHz)		
Nobile printing capability	RICOH Smart Device Connector	RICOH Smart Device Connector, Apple AirPrint®, Mopria®, NFC	
Vindows® environments	Windows® 7/8.1/10, Windows® Server	2008/2008 R2/2012/2012 R2/2016/2019	
Mac OS environments	MAC OS 10.10 - 10.14 - PostScript 3 only		
Other supported environment	Linux		
CANNER			
canning speed	-	B/W: 10ipm, Colour: 6ipm	
esolution		75 - 19,200 dpi (Optical resolution maximum 1,200 dpi)	
ompression method		B&W: TIFF (MH/MR/MMR), JPEG (Grayscale), PDF, Colour: PDF, JPEG	
		Single Page TIFF, Multi Page TIFF, Single Page JPEG,	
ile formats	-	Single Page PDF, Multi Page PDF, High Compression PDF	
Scan modes	-	Email, Folder, Network TWAIN, USB	
FACSIMILE			
Circuit	-	PSTN, PBX	
ransmission speed	-	3 seconds	
Modem speed	-	33.6 Kbps - 2,400bps with Auto Fallback	
Resolution : Standard	-	8 x 3.85 line/mm, 200 x 100 dpi	
Resolution : Detail, Photo		8 x 7.7 line/mm, 200 x 200 dpi	
Compression method		MH, MR, MMR, JBIG	
Memory		2.5MB	
,	-	2.5/115	
SECURITY			
SECURITY Features	- User Code Authenticatio		
ecurity eatures Paper Handling	User Code Authenticatio	on, Wireless LAN Security	
ecurity eatures Paper Handling	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K,	on, Wireless LAN Security Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size	
reatures PAPER HANDLING Recommended paper size	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (e)	com, Wireless LAN Security Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size (cluding bypass 1 sheet)	
SECURITY Seatures PAPER HANDLING Recommended paper size Paper input capacity	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (e Maximum: 751 sheets (ir	con, Wireless LAN Security Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size (cluding bypass 1 sheet) Including bypass 1 sheet)	
SECURITY Features PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (in Maximum: 751 sheets (in 150 si	con, Wireless LAN Security Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size excluding bypass 1 sheet) heluding bypass 1 sheet) heets	
ceturity ceatures APER HANDLING tecommended paper size Paper input capacity	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (in Maximum: 751 sheets (in 150 si Standard Tray: 60 - 163g/m², Bypass	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heluding bypass 1 sheet) heets	
ECURITY eatures APER HANDLING ecommended paper size aper input capacity aper output capacity aper weight	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (in Maximum: 751 sheets (in 150 si	com 10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size (cluding bypass 1 sheet) (cluding bypass 1 sheet) (heets (sc 0 - 163g/m², Duplex: 60 - 90g/m²) (thick paper, Thick paper 1/2, Thin paper,	
ECURITY eatures APER HANDLING ecommended paper size aper input capacity aper output capacity aper weight aper types	User Code Authentication A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex.) Maximum: 751 sheets (ix.) 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle	com 10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size (cluding bypass 1 sheet) (cluding bypass 1 sheet) (heets (sc 0 - 163g/m², Duplex: 60 - 90g/m²) (thick paper, Thick paper 1/2, Thin paper,	
eatures APER HANDLING ecommended paper size aper input capacity aper output capacity aper weight aper types COLOGY	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (exidation Maximum: 751 sheets (ir 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci	Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size ccluding bypass 1 sheet) heets s: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope	
eatures APER HANDLING ecommended paper size aper input capacity aper output capacity aper weight aper types COLOGY ower consumption : Maximum	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (e) Maximum: 751 sheets (ir 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) hecluding bypass 1 sheet) heets sc 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope	
eatures APER HANDLING ecommended paper size aper input capacity aper output capacity aper weight aper types COLOGY ower consumption : Maximum ower consumption : Ready mode	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (er Maximum: 751 sheets (ir 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heets size 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, heed Paper, Labels, Bond, Cardstock, Envelope	
eatures APER HANDLING Recommended paper size Raper input capacity Raper output capacity Raper weight Raper types COLOGY Rower consumption : Maximum Rower consumption : Ready mode Rower consumption : Sleep mode	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex., Maximum: 751 sheets (in 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) hcluding bypass 1 sheet) hcluding bypass 1 sheet) heets s: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope	
eatures APER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types COLOGY Power consumption : Maximum Power consumption : Ready mode Power consumption : Sleep mode EC value	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (er Maximum: 751 sheets (ir 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heets size 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, heed Paper, Labels, Bond, Cardstock, Envelope	
Power consumption: Ready mode Power consumption: Sleep mode	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex., Maximum: 751 sheets (ix., Maximum: 751 sheets (ix., Maximum: 751 sheets) Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W 0.40 kWh	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heets s: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope 100W 35.4W 0.74W 0.35 kWh	
Power consumption: Ready mode Power consumption: Sleep mode	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex., Maximum: 751 sheets (in 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heets s: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope 100W 35.4W 0.74W 0.35 kWh	
Paper output capacity Paper weight Paper vypes COLOGY Power consumption : Ready mode Power consumption : Sleep mode TEC value NPUT TRAY OPTION La 500-sheet paper tray (TK1220) CONSUMABLES	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex., Maximum: 751 sheets (ix., Maximum: 751 sheets (ix., Maximum: 751 sheets) Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W 0.40 kWh	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size scluding bypass 1 sheet) heets s: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope 100W 35.4W 0.74W 0.35 kWh	
Paper weight Paper weight Paper weight Paper consumption: Ready mode Paper consumption: Sleep mode Paper TRAY OPTION IN SO0-sheet paper tray (TK1220) CONSUMABLES	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ex., Maximum: 751 sheets (ix., Maximum: 751 sheets (ix., Maximum: 751 sheets) Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W 0.40 kWh	com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size (cluding bypass 1 sheet) (cluding bypass 1 sheet) (heets (cite of o - 163g/m², Duplex: 60 - 90g/m²) (thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope (b) (cite of the cite	
Paper weight Paper vonsumption: Ready mode Pawer consumption: Sleep mode	User Code Authenticatio A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Standard: 250 sheets (ev Maximum: 751 sheets (iv 150 si Standard Tray: 60 - 163g/m², Bypass Plain paper 1/2, Recycled paper, Middle Color paper, Letterhead, Preprinted, Prepunci 1,30 32.8W 0.66W 0.40 kWh	Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size excluding bypass 1 sheet) including bypass 1 sheet) heets si: 60 - 163g/m², Duplex: 60 - 90g/m² thick paper, Thick paper 1/2, Thin paper, hed Paper, Labels, Bond, Cardstock, Envelope 100W 35.4W 0.74W 0.35 kWh	









