

Specification Sheet

RICOH
IM C3010
IM C3010EX
IM C3510
IM C3510EX



Unlock the true potential of your print infrastructure with Ricoh's IM C Series and redefine the meaning of efficiency and sustainability in your digital workplace.

Unleash the power of people and technology working together in a hybrid workplace tailored to your needs, built on the foundation of Ricoh IM C Series market-leading Multifunction Printers with industry-leading low Typical Energy Consumption (TEC) values. Grow your business, save time, and increase efficiency with faster, more intuitive single-pass scanning and support for a wide range of document workflow management tools, customisable enterprise-grade content management apps, distribution solutions and third-party cloud services.

i

FEATURE HIGHLIGHTS

- Copy, print, scan, and fax (optional)
- Output speeds from 30 to 35 ppm
- Faster and more efficient scanning via SPDF
- Robust security features
- ARDF configuration for cost-effective performance—IM C3010EX/C3510EX
- Easy-to-use Smart Operation Panel
- Digital workflow and automation support
- Seamless cloud connectivity options
- Convenient mobile connectivity
- Automatic firmware updates
- Optional finishing solutions

ESG HIGHLIGHTS

- Made using 50% post-consumer recycled plastic
- 50% reduced power usage in sleep mode
- 54% reduction of plastic in packaging
- Industry-leading Typical Energy Consumption (TEC) values

Product Specifications

General		Scanner (standard)	
Warm-up time	24 seconds	Speed	<ul style="list-style-type: none"> 80 ipm—ARDF (IM C3010EX/C3510EX) 150 ipm simplex; 300 ipm duplex—SPDF (IM C3010/C3510)
First copy time: B&W	4.5 seconds		
First copy time: Full Colour	6.9 seconds	Maximum resolution	Up to 1,200 dpi (A5 or smaller paper size)
Copy speed	<ul style="list-style-type: none"> 30 cpm—IM C3010/C3010EX 35 cpm—IM C3510/C3510EX 	Compression method	<ul style="list-style-type: none"> B&W: JBIG2, MH, MMR, MR Colour: JPEG
Total memory	6 GB	File formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, Multi page Encryption PDF, Single/multi OCR (optional)
Solid state drive	256 GB		
Document feeder	<ul style="list-style-type: none"> 220-sheet SPDF—IM C3010/C3510 100-sheet ARDF—IM C3010EX/C3510EX 	Scan modes	E-mail, Folder, USB
Weight	<ul style="list-style-type: none"> 99.3 kg—IM C3010/C3510 92.9 kg—IM C3010EX/C3510EX 		
Dimensions (w x d x h)	<ul style="list-style-type: none"> 587 x 701 x 963 mm—IM C3010/C3510 587 x 701 x 913 mm—IM C3010EX/C3510EX 		
Power source	220–240 V, 50/60 Hz		

Copier (standard)	
Multiple copying	Up to 999 copies
Resolution	600 dpi
Zoom	From 25% to 400% in 1 steps

Printer (standard)	
CPU	Intel Apollo Lake Atom 1.3 GHz
Printer language: standard	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)
Printer language: optional	Genuine Adobe® PostScript®3™, PDF Direct from Adobe®
Print resolution	1,200 x 1,200 dpi, 4,800 x 1,200 dpi equivalent (maximum)
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B
Network interface: optional	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2nd port)
Mobile printing	Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector
Windows environments	Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 2022
MacOS environments	Macintosh OS X v10.15 or later
UNIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX
SAP environments	SAP® R/3®, SAP® S/4®
Other supported environments	IBM iSeries

Fax (optional)		Environmental	
Circuit	PSTN, PBX	Power consumption: maximum	1,700 W or less
Transmission speed	3 seconds	Power consumption operation: B&W	<ul style="list-style-type: none"> 464.4 W—IM C3010/C3010EX 500.5 W—IM C3510/C3510EX
Maximum modem speed	33.6 Kbps	Power consumption operation: Full colour	<ul style="list-style-type: none"> 515.3 W—IM C3010/C3010EX 543.6 W—IM C3510/C3510EX
Resolution: standard	8 x 3.85 line/mm, 200 x 100 dpi	Power consumption: Ready Mode	38.5 W
Scan modes	16 x 15.4 line/mm, 400 x 400 dpi	Power consumption: Sleep Mode	0.3 W
Compression method	MH, MR, MMR, JBIG	TEC	<ul style="list-style-type: none"> 0.30 kWh—IM C3010/C3010EX 0.35 kWh—IM C3510/C3510EX
Scanning speed (A4 LEF)	90 spm		
Memory: standard	4 MB, (320 pages)		
Memory: maximum	60 MB, (4,800 pages)		

Paper handling	
Recommended paper size	<ul style="list-style-type: none"> Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Custom Size paper: Width—90-320 mm, Length—148-457.2 mm (Copy/Document server), 148-1,260 mm (FAX/Printer)
Paper input: standard	1,200 sheets
Paper input: maximum	4,850 sheets
Paper output: standard	500 sheets
Paper output: maximum	1,625 sheets
Paper weight	Trays: (60–300 g/m ²), Bypass: (52–300 g/m ²), Duplex: (52–256 g/m ²)
Paper types	Plain paper, Recycled paper, Special paper, Colour paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper

Input and finishing options		Consumables	
1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 1,000-sheet Booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray		Toner (black)	40,000 prints
		Toner (cyan, magenta, yellow)	28,000 prints
Yields based on 3 pages/job, 5% coverage on A4			

Other options	
Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Genuine Adobe PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD 320 GB option, Bridge unit, Toner bottle lock, Antimicrobial screen protector	

Reimagine the future of your business and transform with Ricoh

Designed and built to act as the hub of the modern hybrid workplace, our eco-friendly IM C Series Multifunction Printers have evolved to meet your organisational needs now and into the future, earning their place today through a range of new and improved features that do not only deliver smooth operations and a seamless experience for employees but contributes to a greener future as well.

Contact us now

For more information,
visit [ricoh-ap.com](https://www.ricoh-ap.com)

Ricoh Asia Pacific Pte Ltd

20W Pasir Panjang Road,
#04-28 Mapletree Business City,
Singapore 117439

